

- Replace the two letters (variables) with the given values.
- Solve the mathematical sentence to find the value of the expression.
- Use the order of operations rules: Multiply (×) and/or divide (÷) in order from left to right. Add (+) and/or subtract (−) in order from left to right.

Q. If $x = 4$ and $y = 8$,
find the value of $\frac{4x - y}{2}$

A. $\frac{4x - y}{2} = \frac{4x - 4 \cdot x}{2}$
 $= \frac{4 \cdot x - y}{2}$ Substitute $x = 4$ and $y = 8$
 $= \frac{4 \cdot 4 - 8}{2}$ Multiply 4 by 4
 $= \frac{16 - 8}{2}$ Subtract 8 from 16
 $= 8 \div 2$ Divide 8 by 2
 $= 4$

a) If $c = 5$ and $d = 3$,
find the value of $3c - 5d$

$3 \cdot c - 5 \cdot d$
 $= 3 \cdot 5 - 5 \cdot 3 = 15 - 15 = \boxed{0}$

b) If $v = 6$ and $w = 7$,
find the value of $4v - 3w$

$= \dots = \boxed{}$

c) If $p = 6$ and $q = 8$,
find the value of $\frac{pq}{4}$

$= \dots = \boxed{}$

d) If $x = 6$ and $y = 1$,
find the value of $\frac{2xy}{3}$

$= \dots = \boxed{}$

e) If $y = 1$ and $z = 9$,
find the value of $\frac{z}{3} - y$

$= \dots = \boxed{}$

f) If $d = 12$ and $e = 2$,
find the value of $\frac{d}{4} - e$

$= \dots = \boxed{}$

g) If $m = 2$ and $l = 6$,
find the value of $\frac{m + 3l}{4}$

$= \dots = \boxed{}$

h) If $j = 5$ and $k = 4$,
find the value of $\frac{2j - k}{3}$

$= \dots = \boxed{}$

Skill 15.3 Substituting into rules.

MMMaive 11 2 2 3 3 4 4
MMLime 1 1 2 2 3 3 4 4

- Replace the letter (variable) x with the given value.
- Solve the mathematical sentence to find the value of y .
- Use the order of operations rules: Multiply (\times) and/or divide (\div) in order from left to right. Add ($+$) and/or subtract ($-$) in order from left to right.

Q. If $y = 4x^2 - 3$, find y when $x = 2$

A. $y = 4x^2 - 3$ $4x^2 = 4 \cdot x^2$
 $= 4 \cdot x^2 - 3$ Substitute $x = 2$
 $= 4 \cdot 2^2 - 3$ Evaluate 2^2
 $= 4 \cdot 4 - 3$ Multiply 4 by 4
 $= 16 - 3$ Subtract 3 from 16
 $= 13$

a) If $y = x - 9$, find y when $x = 12$

$$y = 12 - 9 = \boxed{3}$$

b) If $y = 25 - x$, find y when $x = 7$

$$y = \dots = \boxed{}$$

c) If $y = 4x + 8$, find y when $x = 2$

$$y = 4 \cdot 2 + 8 = 8 + 8 = \boxed{}$$

d) If $y = 3x - 9$, find y when $x = 9$

$$y = \dots = \boxed{}$$

e) If $y = 5x - 6$, find y when $x = 3$

$$y = \dots = \boxed{}$$

f) If $y = 2x + 7$, find y when $x = 12$

$$y = \dots = \boxed{}$$

g) If $y = \frac{18}{x} - 7$, find y when $x = 2$

$$y = 18 \div 2 - 7 = 9 - 7 = \boxed{}$$

h) If $y = \frac{24}{x} - 10$, find y when $x = 6$

$$y = \dots = \boxed{}$$

i) If $y = x^2 + 18$, find y when $x = 3$

$$y = \dots = \boxed{}$$

j) If $y = x^2 - 7$, find y when $x = 4$

$$y = \dots = \boxed{}$$

k) If $y = 3x^2 + 2$, find y when $x = 5$

$$y = \dots = \boxed{}$$

l) If $y = 5x^2 - 18$, find y when $x = 2$

$$y = \dots = \boxed{}$$

m) If $y = \frac{3x}{4}$, find y when $x = 8$

$$y = \dots = \boxed{}$$

n) If $y = \frac{6x}{5}$, find y when $x = 10$

$$y = \dots = \boxed{}$$

- Replace the letters (variables) with the given values.
- Solve the mathematical sentence to find the requested value in the formula.
- Use the order of operations rules: Multiply (\times) and/or divide (\div) in order from left to right. Add ($+$) and/or subtract ($-$) in order from left to right.

Q. Use $V = \pi r^2 h$ to find the volume of a cylinder when $r = 10$, $h = 5$ and $\pi \approx 3.14$

A. $V = \pi r^2 h$ $\pi r^2 h = \pi \cdot r^2 \cdot h$
 $= \pi \cdot r^2 \cdot h$ Substitute $r = 10$, $h = 5$ and
 $\approx 3.14 \cdot 10^2 \cdot 5$ $\pi \approx 3.14$ and evaluate 10^2
 $= 3.14 \cdot 100 \cdot 5$ Multiply 3.14 by 100
 $= 314 \cdot 5$ Multiply the result by 5
 $= 1570$

a) Use $P = 4l$ to find the perimeter of a square when $l = 4.5$

$P = 4 \cdot l = 4 \cdot 4.5 = \boxed{18}$

b) Use $M = 0.6K$ to find the number of miles when $K = 2000$

..... =

c) Use $A = lw$ to find the area of a rectangle when $l = 12$ and $w = 8$

$A = l \cdot w = \dots = \boxed{}$

d) Use $C = \pi d$ to find the circumference of a circle when $d = 15$ and $\pi \approx 3.14$

..... =

e) Use $A = \frac{d_1 d_2}{2}$ to find the area of a rhombus when $d_1 = 15$ and $d_2 = 6$

..... =

f) Use $M = \frac{1}{2}(x + y)$ to find the average of $x = 20$ and $y = 16$

..... =

g) Use $r = \frac{d}{t}$ to find the speed when $d = 400$ and $t = 5$

..... =

h) Use $A = \frac{l^2 \sqrt{3}}{4}$ to find the area of an equilateral triangle when $l = 4$ and $\sqrt{3} \approx 1.73$

..... =

i) Use $V = lwh$ to find the volume of a prism when $l = 5$, $w = 3$ and $h = 10$

..... =

j) Use $S.A. = 6l^2$ to find the surface area of a cube when $l = 20$

..... =

k) Use $S.A. = 4\pi r^2$ to find the surface area of a sphere when $r = 10$ and $\pi \approx 3.14$

..... =

l) Use $a^2 = c^2 - b^2$ to find the value of $a > 0$ when $c = 15$ and $b = 9$

..... =

- Replace the letters (variables) with the given values.
- Solve the mathematical sentence to find the value of the expression.
- Use the order of operations rules: Simplify within the brackets.
Multiply (\times) and/or divide (\div) in order from left to right.
Add ($+$) and/or subtract ($-$) in order from left to right.

Q. If $y = (x + 3)(x - 4)$, find y when $x = 6$

A. $y = (x + 3)(x - 4)$
 $= (x + 3) \cdot (x - 4)$ Substitute $x = 6$
 $= (6 + 3) \cdot (6 - 4)$ Evaluate each bracket.
 $= 9 \cdot 2$ Multiply the results.
 $= 18$

a) If $y = 4(x + 3)$, find y when $x = 0$

$$y = 4 \cdot (0 + 3) = 4 \times 3 = \boxed{12}$$

b) If $y = 5(x - 2)$, find y when $x = 6$

$$y = 5 \cdot (6 - 2) = \boxed{}$$

c) If $y = -3(x - 6)$, find y when $x = 10$

$$y = = \boxed{}$$

d) If $y = -4(x + 8)$, find y when $x = 0$

$$y = = \boxed{}$$

e) If $y = x(x - 7)$, find y when $x = 9$

$$y = = \boxed{}$$

f) If $y = x(x + 2)$, find y when $x = 0$

$$y = = \boxed{}$$

g) If $y = (x + 1)(x - 3)$, find y when $x = -2$

$$y = = \boxed{}$$

h) If $y = (x - 1)(x + 5)$, find y when $x = 11$

$$y = = \boxed{}$$

i) Use $S = (n - 2) \cdot 180^\circ$ to find the sum of all interior angles when $n = 6$ (hexagon).

$$ = \boxed{}$$

j) Use $S.A. = \pi r(r + s)$ to find the surface area of a cone when $r = 2$, $s = 3$ and $\pi \approx 3.14$

$$ = \boxed{}$$

k) If $c = 5$ and $d = 15$, find the value of $c(d - 10)$

$$c \cdot (d - 10) = $$

$$= 5 \cdot (15 - 10) = 5 \cdot 5 = \boxed{}$$

l) If $x = 2$ and $y = 4$, find the value of $y(x + 16)$

$$y \cdot (x + 16) = $$

$$= = \boxed{}$$

m) If $j = 2$ and $k = 1$, find the value of $3j(2k - j)$

$$= = \boxed{}$$

n) If $a = 5$ and $b = 0$, find the value of $4a(a - 3b)$

$$= = \boxed{}$$

- Replace the letters (variables) with the given values.
- Solve the mathematical sentence to find the value of the expression.
- Use the order of operations rules: Simplify within the brackets.
Multiply (\times) and/or divide (\div) in order from left to right.
Add ($+$) and/or subtract ($-$) in order from left to right.
- Use the sign rules: $+++$, $---$, $+-$, $-+$ (see skill 8.3, page 87)

Q. If $x = -2$ and $y = 3$,
find the value of $-3y - x$

A. $-3y - x = 3y = 3 \cdot y$
 $= -3 \cdot y - x$ Substitute $x = -2$ and $y = 3$
 $= -3 \cdot 3 - (-2)$ Multiply -3 by 3
 $= -9 + 2$ Add -9 and 2
 $= -7$

a) If $y = -x + 5$, find y when $x = -3$

$y = -(-3) + 5 = 3 + 5 = \boxed{8}$
 (Sign rule: $---+$)

b) If $y = -3 + x$, find y when $x = -6$

$y = -3 + (-6) = \boxed{}$
 (Sign rule: $+---$)

c) If $y = 8x$, find y when $x = -4$

$y = = \boxed{}$

d) If $y = -3x$, find y when $x = -2$

$y = = \boxed{}$

e) If $y = \frac{15}{x}$, find y when $x = -5$

$y = = \boxed{}$

f) If $y = \frac{12}{x}$, find y when $x = -6$

$y = = \boxed{}$

g) If $y = 2x - 5$, find y when $x = -3$

$y = 2 \cdot (-3) - 5 = -6 - 5 = \boxed{}$
 (Sign rule: $+x---$)

h) If $y = 3x - 4$, find y when $x = -1$

$y = = \boxed{}$

i) If $m = -5$ and $n = 0$,
find the value of $2m - 3n$

$2 \cdot m - 3 \cdot n =$
 $= 2 \cdot (-5) - 3 \cdot 0 = -10 - 0 = \boxed{}$
 (Sign rule: $+---$)

j) If $a = 6$ and $b = -2$,
find the value of $2b - 5a$

$= = \boxed{}$

k) If $p = 2$ and $q = -10$,
find the value of $p(3p + q)$

$= = \boxed{}$

l) If $y = 1$ and $z = -4$,
find the value of $8 - 3z + 2y$

$= = \boxed{}$

Skill 15.7 Substituting into more complex rules and expressions.

MMMaive 11 22 33 44
MMLime 11 22 33 44

- Replace the letters (variables) with the given values.
- Solve the mathematical sentence to find the value of the expression.
- Use the order of operations rules: Simplify within the brackets.
Multiply (\times) and/or divide (\div) in order from left to right.
Add ($+$) and/or subtract ($-$) in order from left to right.

Q. If $a = 2$, $b = -5$ and $c = 3$,
find the value of $\frac{1}{2a}(3b - c)$

A. $\frac{1}{2a}(3b - c) = \frac{1}{2 \cdot 2} (3 \cdot b - c)$ $3b = 3 \cdot b$
 $= \frac{1}{2 \cdot 2} \cdot (3 \cdot b - c)$ Substitute $a = 2, b = -5$
 and $c = 3$
 $= \frac{1}{2 \cdot 2} \cdot [3 \cdot (-5) - 3]$ Evaluate the bracket
 Multiply 2 by 2
 $= \frac{1}{4} \cdot (-15 - 3)$
 $= \frac{1}{4} \cdot (-18)$ Multiply the results
 $= -4.5$

a) If $y = x^3 + 2$, find y when $x = 3$

$$y = 3^3 + 2 = 27 + 2 = \boxed{}$$

b) If $y = x^3 - 100$, find y when $x = 5$

$$y = = \boxed{}$$

c) If $x = 5$ and $y = 2$,
find the value of $\frac{x}{3} + \frac{y}{5}$

$$\frac{5}{3} + \frac{2}{5} = \frac{25 + 6}{15} = \frac{31}{15} = \boxed{2\frac{1}{15}}$$

d) If $a = 7$ and $b = 3$,
find the value of $\frac{a}{5} - \frac{b}{7}$

$$ = \boxed{}$$

e) If $y = \frac{3x - 5}{x}$, find y when $x = 5$

$$y = = \boxed{}$$

f) If $y = x^2(x + 2)$, find y when $x = -3$

$$y = = \boxed{}$$

g) If $a = 8$ and $b = -10$,
find the value of $\frac{a}{4}(b - 12)$

$$ = \boxed{}$$

h) If $x = -3, y = 3$ and $z = 6$,
find the value of $\frac{9}{y}(yz + x)$

$$ = \boxed{}$$

i) If $x = -4$,
find the value of $\frac{x^2 - 3x}{2}$

$$ = \boxed{}$$

j) If $a = -4$ and $b = -10$,
find the value of $a^2 + \frac{2b}{5}$

$$ = \boxed{}$$

- Replace the letters (variables) with the given values.
- Solve the mathematical sentence to find the value of the expression.
- Use the order of operations rules: Simplify within the brackets.
Multiply (×) and/or divide (÷) in order from left to right.
Add (+) and/or subtract (−) in order from left to right.

Q. Use $A = \pi r^2$ to find the area of a circle when $\pi \approx 3.14$ and $r = 5$

A. $A = \pi r^2$
 $= 3.14 \times 5^2$
 $= 3.14 \times 25$
 $= 78.5$

a) Use $c^2 = a^2 + b^2$ to find the value of $c > 0$ when $a = 3$ and $b = 4$

$c = 3^2 + 4^2$
 $= \sqrt{9 + 16} = \sqrt{25} = 5$

b) Use $b^2 = c^2 - a^2$ to find the value of $b > 0$ when $c = 2.5$ and $a = 2$

$=$ $=$

c) Use $S.A. = 2(lw + lh + wh)$ to find the surface area of a rectangular prism when $l = 11$, $w = 4$ and $h = 7$

$=$ $=$

d) Use $B = \frac{m}{h^2}$ to find the body mass index when $m = 42$ kg and $h = 1.2$ m
 [Give your answer correct to 2 decimal places.]

$=$ $=$

e) Use $V = \frac{l^2 h}{3}$ to find the volume of a square pyramid when $l = 9$ and $h = 5$

$=$ $=$

f) Use $V = \frac{\pi r^2 h}{3}$ to find the volume of a cone when $\pi \approx 3.14$, $r = 10$ and $h = 9$

$=$ $=$

g) Use $A = h \left(\frac{b_1 + b_2}{2} \right)$ to find the area of a trapezoid when $b_1 = 17$, $b_2 = 9$ and $h = 8$

$=$ $=$

h) Use $V = \frac{2\pi r^3}{3}$ to find the volume of a hemisphere when $\pi \approx 3.14$ and $r = 6$

$=$ $=$

- Replace the letter (variable) x with the given value.
- Solve the mathematical sentence to find the value of y .
- Use the order of operations rules: Multiply (\times) and/or divide (\div) in order from left to right.
Add ($+$) and/or subtract ($-$) in order from left to right.

Q. If $y = 3x^2 + x - 6$, find y when $x = -2$

A. $y = 3x^2 + x - 6$

$$= 3 \cdot x^2 + x - 6$$

Substitute $x = -2$

$$= 3 \cdot (-2)^2 + (-2) - 6$$

Evaluate $(-2)^2$

$$= 3 \cdot 4 - 2 - 6$$

Multiply 3 by 4

$$= 12 - 2 - 6$$

Subtract 2 and 6
from 12

$$= 4$$

a) If $y = x^2 + 2x$, find y when $x = 4$

$$y = 4^2 + 2 \cdot 4 = 16 + 8 = \boxed{24}$$

b) If $y = x^2 + 3x$, find y when $x = 0$

$$y = \dots = \boxed{}$$

c) If $y = x^2 - 3x + 2$, find y when $x = 1$

$$y = \dots = \boxed{}$$

d) If $y = x^2 - 4x + 3$, find y when $x = 3$

$$y = \dots = \boxed{}$$

e) If $y = x^2 + 6x - 5$, find y when $x = 2$

$$y = \dots = \boxed{}$$

f) If $y = x^2 - 4x - 10$, find y when $x = 5$

$$y = \dots = \boxed{}$$

g) If $y = 2x^2 - 3x + 1$, find y when $x = 1$

$$y = \dots = \boxed{}$$

h) If $y = 3x^2 - 11x + 6$, find y when $x = 3$

$$y = \dots = \boxed{}$$

i) If $y = 4x^2 + x - 7$, find y when $x = 2$

$$y = \dots = \boxed{}$$

j) If $y = 5x^2 - 2x - 1$, find y when $x = 0$

$$y = \dots = \boxed{}$$

k) If $y = x^2 - 3x - 4$, find y when $x = -2$

$$y = \dots = \boxed{}$$

l) If $y = x^2 + 2x - 9$, find y when $x = -3$

$$y = \dots = \boxed{}$$